APPENDIX "E"

SCHEDULE OF DISTRICT SIGN REGULATIONS

			Permitte				
Zoning	Land Use and	No. of	Sign	Maximum	Max.	Min. Setback	Misc. &
District	Nature of Sign	Sians	Types	Surface Area	Heiaht	from R-O-W	Notes
A-4							
Forestry	Designation of name & owner of land	(1)(2)	Freestanding	12 sq. ft. one side, 2 sides permitted	8′	10′	(1) All signs shall be similar in design & type face (2) One sign at each
	Non-commercial directional and/or informational (1) (3)	N/A	Freestanding, Flush-Wall, Reflectorized	2 sq. ft. per side, 2 sides permitted	8′	N/A	entrance on perimeter of district (3) Colors may vary
A-1	Temp. real	N/A	Freestanding,	32 sq. ft. one side,	8'(1)	12′	(1) Freestanding
General	estate for sale,		Flus-Wall,	2 sides permitted	8' (2)		(2) Flush-Wall
Agriculture	rent or lease		Reflectorized	-			(3) 300' min. from any
	Off-site sign (3) Stadium, Coliseum, Horse or auto Race track	One	Freestanding, Reflectorized, Illuminated, Changeable copy	300 sq. ft. one side, 2 sides permitted	20′	12.5' min. yard requirements	other district, highway or street intersection; 500' min. from controlled access route, 1000' min. from any other off-site sign.
	Remaining uses Permitted	One	Freestanding, Flush-Wall, Roof, Illuminated	32 sq. ft. one side, 2 sides permitted	8′ 30′	½ min. yard requirements	
A-2	Temporary real esta						
Limited	Drive-In Theater sa						
<u>Agriculture</u>	All remaining uses i						
A-3	Drive-In Theater sa						
Flood	Temporary real esta						
Plain	All remaining uses	permitted sa	me as General Ad	griculture.			

Zoning	Land Use and	No. of	Sign	<u>d (if not permitted – S</u> Maximum	Max.	Min. Setback	Misc. &
District	Nature of Sign	Signs	Types	Surface Area	Height	from R-O-W	Notes
R-5	Temp. real	one	Flush-Wall,	6 sq. ft per side,	5′	10'	
Rural	estate signs	two	Freestanding	2 sides permitted			
Estates	All remaining	one	Freestanding,	10 sq. ft. one side,	8′	½ min. yard	
	uses permitted		Flush-Wall	,		requirements	
	Planned	A plan indic	ating location, de	esign, height, surface	areas, coloi	s, type faces,	
	Developments	maintenanc	e responsibility,	and any other relevant	t data cons	idered necessary	
			ning Commission gulation's supple	. Guidelines for the P	lanning Cor	nmission shall be	
R-1	Temporary Real Es			tes			
Low Density	Planned Developme	ents same as	Rural Estates		+	 	
	All remaining	one	Freestanding,	10 sq. ft. one side,	8′	½ min. yard	
	uses permitted		Flush-Wall			requirements	
R-2	Planned developme	ents same as	R-5				
Medium	Temporary real est	<u>ate same as I</u>					
Density	Remaining uses	one	Freestanding,	10 sq. ft.	8'	½ min. yard	
<u>Residential</u>	permitted		Flush-Wall			requirement	
R-3	Temporary real est						(1) Sign will not be in
Medium	Planned Developme	<u>ent same as F</u>			T		operation during hours
Density	Churches,	one	Freestanding,	10 sq. ft. one side,	8′	½ min. yard	of 9:30 pm to 6:00 am
Residential	libraries,		Flush-Wall,	2 sides permitted		requirement	
And R-4	private clubs,		Illuminated,				
High	lodges, public		(1) Changeable	9			
Density	or private		сору				
Residential		<u>mes, museun</u>		parking areas for uses			
	Remaining	one	Freestanding,	1 ½ sq. ft.	8′	½ min. yard	
	uses permitted		Flush-Wall			requirement	
M-1	Laundromats,	one	Freestanding	10 sq. ft. one side	8′	½ min. yard	(1) One sign permitted at
Planned	parks & (1)		Flush-Wall	2 sides permitted		requirements	each vehicular entrance
Mobile	playgrounds		Illuminated				to park or playground
Home	Temporary Real Es						
(Planned Developme						

			Permitte				
Zoning	Land Use and	No. of	Sign	Maximum	Max.	Min. Setback	Misc. &
District	Nature of Sign	Signs	Types	Surface Area	Height	from R-O-W	Notes
M-2 Planned Travel Trailer	Mobile home and Travel Trailer Sales, Laundromat, Parks, & <u>Playgrounds (1)</u> Temporary Real Es	one	Freestanding Flush-Wall, Illuminated, Roof,	12 sq. ft. one side 2 sides permitted - sign area not to exceed total of 16 sq. ft. if on 2 sides	8' (2)	½ min. yard requirement	(1) One sign permitted at each vehicular entrance to park or playground(2) Roof sign not to exceed 30' from grade
	Planned Developm						
B-5	Temporary Real Es			ariculture			(1) Min: 150' from any on-
Interchange Business	Off-site sign (1)	one	Freestanding Illuminated, Reflectorized	300 sq. ft. one side 2 sides permitted	15′	½ min. yard requirement	site signs; 300' from another off-site sign, any other zoning district,
	For all permitted uses in addition to the (directory) sign structure below	two	Freestanding, Illuminated, Changeable copy, Flush-Wall, Perpendicular Wall	One or two surface areas permitted per sign but total surface area shall not exceed 25 sq. ft. for one side. 40 sq. ft. for two sides	8′	½ min. yard requirement	any highway or street intersection; 500' from controlled access route (2) One sign structure upon which may or may not be erected on sign for each of the enterprises within the segment (such as a directory)
	Each segment of land zoned B-1 adjoining	(2)	Freestanding, Illuminated	(3)	80′	½ min. yard requirement	(3) For all enterprises in the segment, the total surface area shall not exceed
	the owner of the p placed shall permit such sign structure Rationale – A singl	roperty upon tother enterpes shall not be e extremely to that severals	which such sign orises to utilize su e permitted. all sign (80' in he such tall signs wo	ch sign structure, or eight) would be buld not be erected,			the square root of the land area of the segment in sq. ft. for single face signs. One additional sign face will be permitted, but total sign surface area shall not exceed 1 ¾ times the result of the above formula. In the event no more than one business enterprise is represented on such sign, the signs shall not contain more than 2/3 the maximum allowable sign area.

			Permitted	d (if not permitted – Si	gn is Prohib	oited)	
Zoning District	Land Use and Nature of Sign	No. of Signs	Sign Types	Maximum Surface Area	Max. Height	Min. Setback from R-O-W	Misc. & Notes
B-3 Professional Administrative Offices	Professional offices: Administrative offices Other uses as Permitted etc. (1) (2)	one	Flush, (3) Wall, Window Sign, Illuminated (6)	One or two sides permitted per sign, but total	10'	5′ (5)	 (1) Min. distance from any other on-site sign shall be 50' (2) Min. distance from residential district 25' (3) If sign does not exceed 6' in height, clearance shall be determined by
	Temp. real estate	one	Freestanding	16 sq. ft. one side 1 side permitted	7′	10′	Zoning Administrator (4) Roof sign may not exceed 15' above roof line of primary structure to which it is anchored.
B-2 Secondary Business	Temp. Real estate	one	Flush-Wall, Freestanding (3)	Total surface area for one side shall not exceed 20 sq. ft. or 30 sq. ft. for two sides (5)	25′	5′	(5) A bonus of increased surface area will be permitted by Zoning Administrator in an amount of 5% for each
	All permitted uses	one	Freestanding, (3) Illuminated, Window Sign, Changeable Copy, Time & Temp. OR	Total surface area area for one side shall not exceed 100 sq. ft., 200 sq. ft. for two sides (5)	25′	5′	2' additional setback From R.O.W. (6) Illuminated signs shall Not be in operation Between the hours of 9:30 pm to 6:00 am
		AND	Roof sign, Illuminated, Changeable Copy, Time & Temp.	One side 100 sq. ft., 2 sides 120 sq. ft. total (#1157)	(4)	5' from any building	
		One	Flush or Perpendicular Wall, (3) Illuminated Changeable Copy, time & Temp.	One or two sides permitted. Total surface area shall not exceed 100 sq. ft. for one side, (#1157)	20′ (#1157)	5′	

			Permitted				
Zoning	Land Use and	No. of	Sign	Maximum	Max.	Min. Setback	Misc. &
District	Nature of Sign	Signs	Types	Surface Area	Height	from R-O-W	Notes
B-6 Limited Secondary Business		one	Flush or Perpendicular wall, (3) Illuminated, Changeable Copy, Time & Temp.	One or two sides permitted. Total surface area shall not exceed 100 sq. ft. for one side (#1157)	20′ (#1157)	5′	See previous page for notes.
B-4	Temporary Real Es	tate Signs Sa	me as Rural Esta				1
Neighborhood Business	All other uses as permitted		Flush-Wall, Window Sign, Illuminated (2) OR	16 sq. ft. one side permitted	(1)	Min. yard requirements	(1) Sign may not exceed above roofline. (2) Illuminated signs shall not be in operation
			Freestanding, Illuminated (2)	Surface area shall Not exceed 8 sq. ft.	5′	5′	between the hours of 9:30 pm and 6:00 am. Illumination may be extended to correspond To business hours. During such time Illumination of the sign Shall be reduced to a Level deemed by the Planning Commission To be compatible to the Adioining districts.
M-3	A plan indicating lo And any other rele Plan. Commission Indicating a direct Plan. Commission Shall be diminished Business Districts. Consistency of size						

			Permitted	ited)			
Zoning	Land Use and	No. of	Sign	Maximum	Max.	Min. Setback	Misc. &
District	Nature of Sign	Signs	Types	Surface Area	Height	from R-O-W	Notes
B-1 Central Business District	Accountants, Adv. Agencies, Attorneys, Chamber	one	Flush-Wall, Window Sign (3)	1 sq. ft. ressmaking, dentists, o	8' (1)	N/A	(1) From grade (2) In addition, barber shops are permitted one tra- ditional barber pole subject
DISCIPLE	Employment agencie Offices, physicians, e	s, engineering	offices, janitorial se ecretarial – other si	ervices, labor unions, bu milar services as deterr	usiness & profe nined by Zonin	ssional g Administrator	to following limitations; projection not to exceed 9" from exterior wall;
				5 sq. ft. aries, Museums, Newsp Title Abstract Offices, Ut		N/A	shall not be over 3' in length; may be illuminated, and, placed in manner that is not hazardous (3) Not to exceed 1 window per side of building per
	Motion Picture Theaters	one	Marquee (1), Illuminated, Changeable Copy, Flush or Perpendicular	Marquee: 2 sides permitted, each side not to exceed 20 sq. ft. (4) (5)	12′	N/A	Business (1) Maximum projection, 6' but in no event shall projection be closer than 2' from the street curb line extended vertically (2) Marquee permitted
		(6)	Window Promotional (7)	One 10 sq. ft. sign for each 20'	8′	N/A	provided the gross floor area is in excess of 8,000 sq. ft.
	All remaining Uses permitted	one	Flush-Wall, Perp-Wall, Changeable Copy, Time & Temp., Illuminated, Window, Marquee	Flus & Perp. Wall signs and corner lots as permitted for theaters	12′	N/A	 (3) Maximum projection: 4' (4) Motion picture theater 30 sq. ft. per side (5) Flush Wall: Up to 10' Frontage 10 sq. ft. plus 0.5 sq. ft. for each 1' frontage over 10'. Perpendicular Wall: 2 or more surface
		AND (6)	Window promotional	One 10 sq. ft. sign for 20' frontage of smalles dimension			areas, total surface area not to exceed: up to 10' frontage – 15 sq. ft. plus 0.75 for each 1' frontage over 10'.

			Permitte				
Zoning	Land Use and	No. of	Sign	Maximum	Max.	Min. Setback	Misc. &
District B-1	Nature of Sign	Signs	Types	Surface Area mum of 100' frontage	Height	from R-O-W	Notes (5) (Cont'd.)
	Aesthetically plea	sing scheme		s, such scheme may	If on corner lot with Customer entrance on Each frontage, an Additional Flus or Perpendicular Wall sign Will be permitted in Accordance with these Limitations but with a Surface area not to Exceed a size equal to The surface area Permitted on the Smallest frontage of the property. (6) See Max. surface area (7) Max. exposure time: 30 days		
I-2 Restricted Industrial I-2 Light	All permitted uses	one	Freestanding, illuminated, window, Perp-wall, Changeable Copy, Time & Temp. OR Roof sign,	One or two sides permitted. Total surface area shall not exceed 20 sq. ft. for one side, 30 sq. ft. for two sides one side 60 sq.	15'	1/₂ yard min. 5' from any	(1) Roof sign may not
Industrial			illuminated, Changeable Copy	ft., two sides 100 sq. ft.	(1)	building elevation	exceed 15' above roof line of primary structure to which it is attached.
I-3 General <u>Industrial</u>	All permitted uses	Same requ	uirements as in Lig	ght Industrial Districts			
I-4	All permitted	Same requ	uirements as in Ge				