

City of Benton – EPA Lead Service Line Inventory

Completed Inventory – January 12, 2026 | Total Service Lines: 3,757

Total Service Lines	3757
Non-Lead (NL)	3754
Lead (L)	0
Galvanized Requiring Replacement (GRR)	0
Unknown (U)	0

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/Pigtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
201 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			F	
104 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
320 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
321 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 E SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 1/2 E SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 S MAIN STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 E WASTENA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1408 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12740 ODD FELLOW LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 W MAIN		N	Y	2022	2020	Construction Records		UNL	P	P	P	N/R	N			N	
509 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 W MAIN, SUITE A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 W MAIN, SUITE B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 W MAIN, SUITE C		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
624 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
634 W MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
619 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
629-631 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
639 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
640 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
721 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E COPPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1218 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1310 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1400 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1409 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1409 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
519 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
423 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
421 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
321 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
221 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
219 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
101 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
109 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 LEWIS DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
121 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
123-125 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201-205 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 E MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
120 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 A E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
100 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
108 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
224 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
226 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E SMITH SUITE A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
320 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
322 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
812 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E SMITH, STE B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
620 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
301 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 E SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
426 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 1/2 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 KENNETH ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
R R 1		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13998 STATE HWY 34 EAST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14472 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14849 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14883 ST HWY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14954 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15022 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14975 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14173 ESPY ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13859 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14716 ST HWY 14 EAST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14798 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15296 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10423 STEEL CITY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14747 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
14783 STATE HWY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1301 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1305 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1036 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1212 N MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1213 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
145 INDUSTRIAL PARK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
167 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
151 INDUSTRIAL PARK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
141 INDUSTRIAL ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
137 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
131 INDUSTRIAL PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
125 INDUSTRIAL PARK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1071/2 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 A INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1514 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1520 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1522 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1510 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1512 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1509 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1526 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1530 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1540 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1530 1/2 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
340 E IL AVENUE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
450 E ILLINOIS AVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
451 E ILLINOIS AVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
353 INDUSTRIAL PARK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
353 INDUSTRIAL PARK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10764 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
350 INDUSTRIAL PARK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
390 INDUSTRIAL PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1602 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1610 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1618 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1642 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1706 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1700 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11230 ST HWY 37N		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11731 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
INTERSTATE 57		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1635 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1629 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1627 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1627 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1619 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12238 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12364 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1500 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10499 N DUQUOIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11983 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11601 SKYLANE DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10231 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11648 SKYLANE DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11248 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11601 FRANK BONAN DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11691 FRANK BONAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
AIRPORT ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1407 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12150 BLUE RIDGE DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
213 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
220 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
101 E WEBSTER, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
101 E WEBSTER, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 1/2 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 1/2 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
329 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 E SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 E SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 E SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
402 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 E PLUM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 E PLUM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 E PLUM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
710 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 1/2 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
910 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
911 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 E BLAKE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 E BOLING ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 S LICKLITER STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1010 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 S LICKLITER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 E CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 E CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 S COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
102 E CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1401 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12733 ODD FELLOW LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1411 S MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W CAPITOL, APT C		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W CAPITOL, APT D		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W CAPITOL, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W CAPITOL, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
114 W CAPITOL, APT D		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 W CAPITOL, APT 3		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 W CAPITOL, APT 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 W CAPITOL, APT 1		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
120 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 W CAPITOL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1302 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1301 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1303 S POPE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1304 WHISPER WAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1306 WHISPER WAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1305 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1306 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1307 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1308 WHISPER WAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1405 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1401 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1402 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1404 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1406 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1408 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1410 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1412 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1414 A+B S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1318 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1320 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1324 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1326 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1328 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1330 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1332 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1338 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1346 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1350 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1352 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1354 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1362 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
533 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
532 STONEBROOK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1345 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1325 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1323 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1321 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1319 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1317 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1315 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1313 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1311 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1307 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1305 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1301 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
332 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 STONEBROOK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
404 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
438 STONEBROOK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
435 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
440 STONEBROOK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
442 STONEBROOK DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
333 STONEBROOK DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1214 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
514 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 CLEARVIEW PLACE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 WHISPERWAY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 W ADAMS, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 W ADAMS, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 1/2 W ADAMS, APT C		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
108 1/2 W ADAMS, APT D		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 W ADAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
101 BLAKE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 BLAKE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
333 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
337 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
905 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 SEYMOUR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 S SEYMOUR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 SEYMOUR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W BOLING		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 S FIRST, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 S FIRST, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003"B"S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 S FIRST STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1001 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 S TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W BLAKE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W BLAKE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W BLAKE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 W WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W KIRSCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W KIRSCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W KIRSCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 W KIRSCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 S TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 S TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 S TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 S TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 KIRSCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
803 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 W PLUM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 1/2 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
220 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 1/2 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 W HUDELSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 W SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 W SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 W SPANI		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
412 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 S FIRST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 1		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 3		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 4		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 5		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 6		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 8		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 7		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 9		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 10		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 11		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 12		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 13		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 15		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 16		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 17		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 18		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 19		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 20		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 21		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 22		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 23		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 24		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 25		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 26		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 27		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 28		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1106 S LICKLITER, LOT 29		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 30		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 32		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 35		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 33		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 36		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 38		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 39		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 43		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 42		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 41		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 40		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 44		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 45		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S LICKLITER, LOT 47		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
133 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
138 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
137 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
141 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
140 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
144 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
218 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
212 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
219 S PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
206 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
213 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
217 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
219 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
313 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 S POPE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
400 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 S JONES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
319 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
321 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
320 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
323 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
323 1/2 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
322 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
419 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
423 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
430 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 S AIKEN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 S AIKEN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 S AIKEN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 W TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 W TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 W TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 W TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
402 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 S LAYMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 W SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 W SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 W SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 W SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 W WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 S DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
454 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
446 W CHURCH, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
446 W CHURCH, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
446 W CHURCH, APT D		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
447 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
442 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
442 1/2 W CHURCH, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
442 1/2 W CHURCH, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
441 W CHURCH STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
437 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
435 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
434 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
432 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
433 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
428 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
425 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
424 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
313 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W CHURCH, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W CHURCH, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
304 W CHURCH APT D		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W CHURCH, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W CHURCH, APT C		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W CHURCH, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
120 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
118 W CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 1/2 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
720 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 NORTH DUQUOIN STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
424 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
422 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
419 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
416 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
409 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
345 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
343 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
342 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
344 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
346 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 N ASH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 N HICKORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 N HICKORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 N HICKORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 N HICKORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
511 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 N MILL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 N MILL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 N MILL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 MILL ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 1/2 W MCFALL, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 1/2 W MCFALL, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 1/2 W MCFALL, APT C		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 W WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
217 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 N PINE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
218 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 ELECTION ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
218 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
214 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N ELECTION ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
217 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
318 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
318 1/2 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
317 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
321 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
320 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
324 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
327 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
328 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
329 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
333 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
338 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
340 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
341 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
422 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
423 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
416 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
355 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
353 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
351 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
349 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
345 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
344 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
342 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
340 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
338 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
336 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
334 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
325 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
324 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
326 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
322 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
320 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
318 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N ELECTION ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
217 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
213 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
102 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
107 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N MAPLE, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N MAPLE, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1015 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1015 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1017 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1019 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 ELECTION CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1012 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1014 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1016 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1018 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1103 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1111 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1113 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1115 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1112 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 W RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 W RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1211 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1213 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1214 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1217 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1218 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1205 RUTH CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 ELECTION DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 RUTH CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1302 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1304 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1306 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1308 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1402 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1404 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1406 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1408 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1410 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1412 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1507 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1503 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1411 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1407 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1401 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1311 N MAIN, APT 1		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1311 N MAIN, APT 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1311 N MAIN, APT 3		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1309 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1307 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1305 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1301 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 1		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 7		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 3		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 5		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 6		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 4		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, APT 8		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 N MAIN, LAUNDRY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 W RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
815 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
517 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
102 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 1/2 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
212 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 W MCFALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N MAPLE, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 1/2 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
212 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
214 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
422 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
424 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
347 W FOURTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
519 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N ASH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
425 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
423 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
421 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 W FIFTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
307 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
618 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
617 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
620 W SIXTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
618 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
619 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
613 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
618 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
619 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
617 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
519 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
517 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
408 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N JESSE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W CHARLES, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W CHARLES, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N ELECTION ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
212 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W MITCHELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
209 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 W CHARLES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N OAK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
716 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
720 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
724 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
726 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
732 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
736 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 RUTH CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 W BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
741 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
739 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
735 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
731 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
727 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
723 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
719 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N SHERIDAN DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N SHERIDAN DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 ELECTION STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
201 W REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 N MAPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 1/2 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
101 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 B PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 PUBLIC SQ		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 PUBLIC SQUARE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 1/2 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
119 S MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 W MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
410 N MAIN		N	Y	2025	2025	Maintenance Records		P	P	P	N	N/R	N			N	
410 1/2 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
422 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 E MARTIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E MARTIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 E MARTIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 E MARTIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
110 E COPPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
813 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
812 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
814 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 E COPPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
118 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
911 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
910 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
914 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 COPPLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
813 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
814 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
812 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
805 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
130 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
123 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
121 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
119 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
120 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
128 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
634 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
620 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
617 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
619 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N MADISON, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N MADISON, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
613 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
606 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
121 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
419 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
225 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
223 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
217 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
218 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
220 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
312 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 N COMMERCIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
319 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
223 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
216 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
305 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
316 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
318 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
514 N MADISON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 1/2 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
621 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
623 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
622 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
624 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
626 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
629 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
630 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
632 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
633 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
634 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
635 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 E REED		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
812 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
814 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
911 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
915 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 E MARTIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
717 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
716 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
312 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
416 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
401 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 N GRAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
514 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
518 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
522 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
521 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
523 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
525 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
528 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
530 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
531 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 1/2 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
701 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
910 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N GLENDALE, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N GLENDALE, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
N GRAYSON & FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
S GRAYSON & FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 1/2 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
COR RUTH & FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
COR BOND & FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1203 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1100 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 N GLENDALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E BOND, APT C		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E BOND, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E BOND, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1112 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1008 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
910 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
903 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
914 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
916 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1107 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1111 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1113 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1211 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1021 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1216 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1216 E RUTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1016 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1214 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1215 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1211 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1212 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 E GRAYSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1213 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1211 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1304 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1206 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1114 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1111 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1100 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E ANNA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 E VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 E VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 E DIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 N NINTH, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 N NINTH, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 E VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
802 N NINTH, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N NINTH, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
914 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
916 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
468 C N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1406 E DIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1420 VALE ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1100 E DIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1309 E DIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1405 E VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1409 VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 E VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
920 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 E VALE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
514 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 N HICKMAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1002 E DIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 E VALE ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 E GARDNER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 E DIAL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
623 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
618 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
620 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
622 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
622 1/2 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
624 1/2 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
628 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
626 E JOPLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
719 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
721 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
723 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
725 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
727 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
729 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
731 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
903 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
733 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
730 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
728 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
726 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
722 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
720 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
718 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
716 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
717 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
719 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
720 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
718 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
716 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
712 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
313 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
536 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
535 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
532 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
530 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
529 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
525 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
523 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
526 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
524 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
519 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
517 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
518 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 E BURKETT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 E SUSAN ESTHER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
707 E SUSAN ESTHER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 E SUSAN ESTHER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 E SUSAN ESTHER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 E SUSAN ESTHER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 NADLER DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N NADLER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
421 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 1/2 NADLER DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N EIGHTH		N	Y	2025	2025	Maintenance Record		P	P	NL	N	N/R	N			N	
301 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 N EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
206 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 E DIAMOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N SEVENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 E KIRKPATRICK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
229 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
231 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
237 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
218 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
541 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
537 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
533 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
531 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
529 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
528 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
526 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
524 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
522 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
520 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
518 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
514 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
512 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
517 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
517 1/2 E SMITH ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
519 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
521 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
525 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
613 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 E SMITH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N GORE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N GORE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N GORE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 GORE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
212 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 1/2 E LAWRENCE, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 1/2 E LAWRENCE, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
527 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
208 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N GORE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 1/2 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N COLLEGE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
525 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
523 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
521 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
519 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
520 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
518 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
516 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
515 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
128 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
126 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
124 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
122 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
120 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
118 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
119 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
121 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
123 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
125 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
127 N MCCANN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 E LAWRENCE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 N FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
423 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
422 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
421 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
513 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
419 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
407 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E DIAMOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1014 E DIAMOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 E DIAMOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 CUTLER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 E CUTLER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E PUTNAM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 E PUTNAM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E PUTNAM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
509 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 E OLIVER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E OLIVER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 E OLIVER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
510 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
509 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E PUTNAM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 E PUTNAM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 PUTNAM		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
500 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
411 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1307 E OLIVER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1404 E OLIVER, R R 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
301 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E KIRKPATRICK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1013 E KIRKPATRICK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 E KIRKPATRICK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 E KIRKPATRICK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 E KIRKPATRICK, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 E KIRKPATRICK, ATP B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 N TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 N STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
100 N WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
302 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 N BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1408 E DIAMOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1402 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1404 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1406 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1408 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1410 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1502 E ESPY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1502 E ESPY, APT N		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1504 E ESPY, APT S		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1504 E ESPY, APT N		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1503 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1507 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1419 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1420 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1412 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1401 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1311 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1309 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1313 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1309 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1307 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1306 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1302 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
719 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
717 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
102 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
COLLEGE ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
509 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
407 E WASHINGTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 RAILROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 RAILROAD ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 S RAILROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
425 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
452 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
101 S FRISCO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
520 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
522 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
526 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
530 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
532 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
708 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 S EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 S EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 S EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 S EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 S EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 S EIGHTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
912 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 S TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E MAIN, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E MAIN, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 1/2 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1100 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1303 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1302 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1300 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 S BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 S BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 S BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 S BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 S BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 S BROWN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1028 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1029 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
416 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 S WARD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1100 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1104 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 S STOTLAR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1012 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1004 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 S TENTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
926 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
115 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 S NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
911 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
910 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
904 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
902 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
116 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 E BEATRICE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 S MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 S MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
125 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
214 S JACKSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
312 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
327 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
402 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
416 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
420 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
236 S BRINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
421 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
424 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
505 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
508 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 E DEPOT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 E DEPOT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
613 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
614 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
208 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
212 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
213 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
910 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
914 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
909 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
913 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
915 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1012 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1014 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1020 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1021 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1020 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1015 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1013 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S LAMBERSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 S LAMBERSON, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 S LAMBERSON, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
414 S LAMBERSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 S LAMBERSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
905 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 S ELIZABETH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 S ELIZABETH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 ELIZABETH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 E CENTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
314 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 LOCUST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 E LOCUST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 E LOCUST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 E LOCUST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
812 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
814 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
600 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
900 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
905 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
906 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
903 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
808 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
617 S DUNCAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
618 S DUNCAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 E MCKENZIE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 FORREST ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 E SCOTT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 S TAFT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 E FORREST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 E FORREST ST, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
413 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
503 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
604 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 E MCKINLEY, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 E MCKINLEY, APT 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
706 E MCKINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 TAFT STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 E MCKINLEY		N	Y	2026	2026	Construction Records		P	P	C	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
404 S TAFT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S TAFT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S MARSHALL, APT 1		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 S MARSHALL, APT 2		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
400 S MARSHALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S MARSHALL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 S BRINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
213 S BRINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 S BRINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 S BRINLEY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
419 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
418 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
114 S BUCHANAN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
412 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
422 E CHURCH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 S CARBON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 CARBON ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 S CARBON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 E SCOTT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 E SCOTT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
607 S GREENWOOD ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
611 S GREENWOOD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
613 S GREENWOOD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 S GREENWOOD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 GREENWOOD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
613 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
614 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
616 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
618 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
615 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 S GREENWOOD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 S CARBON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 S CARBON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 S CARBON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 S CARBON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
716 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
603 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
120 E SCOTT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
511 1/2 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
621 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
805 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
807 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
502 E WILLIAMS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
815 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
901 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
807 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
804 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
806 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
798 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
796 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1002 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
803 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
812 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
813 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
814 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
815 MICHAEL DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1010 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
907 E MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
917 E MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
713 E MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 BERLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 MANITOU ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1121 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
908 WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
918 WASTENA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
913 WASTENA STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
915 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
919 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13675 SUMMERS RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13749 SUMMER RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1300 BERLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 WASTENA, APT A		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1100 S PRUITT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 WASTENA, APT B		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 WASTENA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1307 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
700 MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 E MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1202 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1108 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1104 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1103 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1010 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1006 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1000 S EADS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
702 E BLAKE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 BLAKE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
703 BLAKE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
705 BLAKE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 BLAKE STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
808 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
809 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
811 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1105 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1301 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 MANITOU		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1303 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1302 S WILSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
604 WASTENA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
608 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
801 E WASTENA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1213 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1401 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 AUBERT ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 S BERLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1309 BERLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
704 AUBERT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 S PRUITT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1405 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7845 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7780 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7816 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7788 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7612 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7680 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7493 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7563 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7431 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7317 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7139 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13350 HOPE LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13300 HOPE LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/Pigtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
13275 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8012 S MCLEANSBORO ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13320 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13412 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13486 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13526 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13532 HOPE LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13470 HOPE LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13400 HOPE LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13537 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13579 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13615 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13610 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8190 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13819 NEW HOPE CHURCH RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8098 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8008 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7993 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7945 STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7838 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7852 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7872 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7814 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7735 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7767 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7718 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13684 SPRING POND RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13656 SPRING POND RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13633 SPRING POND RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
13550 SPRING POND RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13545 SPRING POND RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13532 SPRING POND RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7493 DEERING ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7476 DEERING RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7432 DEERING RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7390 DEERING RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7375 DEERING RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7337 DEERING ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
7050 S MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8322 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13843 SUMMER RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8417 GROVES ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8307 GROVES RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8463 GROVES RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8499 GROVES RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8551 GROVES RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14496 SUMMERS RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8643 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14156 SUMMER RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14052 SUMMER ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13942 SUMMER ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13933 SUMMER ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8364 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8376 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8386 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8770 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8458 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8718 S STUYVESANT ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8412 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8734 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8833 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
209 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
204 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 S STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 S STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
209 S STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1503 ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1421 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1419 E ENTERPRISE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1411 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1501 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1511 E WEBSTER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
211 S GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
215 S GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 S GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 S GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 S GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 S GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
800 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
802 N PARK CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1512 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1504 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1511 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1605 E MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14045 STATE HWY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8987 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8954 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8930 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8860 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8904 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
8938 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8958 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8976 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9018 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9024 CARTER LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14142 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14209 ST HWY 34 E		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14190 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14174 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14206 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14224 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14248 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8948 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8939 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8653 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8725 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8695 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8690 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8873 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14349 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14395 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14447 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14776 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14783 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9013 ADEN STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14810 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14842 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14883 STATE HWY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14960 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15080 HIGHWAY 34 E		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9016 ADEN STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9063 ADEN STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
14739 STATE HIGHWAY 34		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
8984 REAGAN LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9030 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9134 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9162 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9222 BENNETT RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14097 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14143 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9256 JOHNSON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14144 ESPY STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14213 ESPY ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14167 FORD AVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14135 FORD AVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14107 FORD AVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14073 FORD AVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9147 EISENHOWER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9285 JOHNSON ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9192 EISENHOWER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9224 EISENHOWER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9225 EISENHOWER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9272 EISENHOWER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9290 EISENHOWER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14054 CUTLER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14057 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14057 1/2 CUTLER STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14035 CUTLER STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14016 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14013 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13989 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13954 CUTLER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
419 N FACTORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
417 FACTORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
415 FACTORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
411 N FACTORY		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13848 CUTLER ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13822 CUTLER STREET		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
103 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
205 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
506 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
609 N GOLDHEIMER		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
608 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
605 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
601 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
602 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
507 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
501 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
504 N STUDELL		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
708 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9568 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9612 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9586 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13867 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13878 TAYLOR ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13984 TAYLOR ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9633 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9749 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9592 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14000 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9800 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9648 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9704 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9595 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9573 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9701 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9785 HILLCREST LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9584 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1204 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
13775 E TAYLOR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9687 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9719 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9769 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9793 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13735 DEBRA DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13705 DEBRA DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13688 DEBRA DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13700 DEBRA DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13720 DEBRA DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9832 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9871 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9899 N STUYVESANT ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9927 STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
9963 N STUYVESANT		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13839 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13959 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14028 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14028 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14291 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14590 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14654 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14862 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14894 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14840 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14926 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14964 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15002 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15048 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15072 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15168 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15236 ST HWY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/Pigtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
15288 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10454 STEEL CITY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10412 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10384 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10389 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10321 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10288 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10209 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10349 STEEL CITY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15410 LAKE MOSES LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15473 LAKE MOSES LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15369 LAKE MOSES LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15343 LAKE MOSES LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15472 LAKE MOSES LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15659 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
15689 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14627 STATE HWY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10549 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10692 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10780 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10810 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10795 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14465 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14423 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14373 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14359 STATE HIGHWAY 14 E		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14339 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14309 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13749 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13725 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
13691 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13746 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13776 STATE HWY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13718 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13696 STATE HIGHWAY 14		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1405 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1407 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1400 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1219 PIN OAK LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 PIN OAK LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1211 PIN OAK LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1202 PIN OAK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 PIN OAK LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 PIN OAK LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1399 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1375 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1401 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#2 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#3 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#4 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#5 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#6 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#8 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#10 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#11 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#12 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
#13 COACHLITE ESTATES		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1046 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1024 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1026 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1028 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1030 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1032 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1034 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1040 N NINTH		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1306 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1038 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1039 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1040 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1041 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1042 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1043 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1044 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1304 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1037 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1300 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1302 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1031 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1031 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1203 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1001 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1016 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1017 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1018 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1019 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1020 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1021 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1022 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1023 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1110 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1003 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1037 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1106 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1005 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1102 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1101 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1008 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1009 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1007 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1011 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1013 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1015 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1107 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1109 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1020 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1022 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1111 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1040 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1042 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1043 1/2 HUNTERS CIRCLE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1206 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 N MCLEANSBORO		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1307 RENSHAW DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1309 RENSHAW DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10500 RENSHAW DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10588 BUNNY HOP ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
715 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1212 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1209 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1207 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1205 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1208 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1200 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1201 1/2 N HIGHLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1210 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1208 N FAIRLAND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
410 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
415 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
403 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
408 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
310 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
305 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
303 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
203 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
304 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
119 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
117 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 E BOND		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 BAILEY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1403 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1407 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
1409 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1411 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1413-1417 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1412 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1414 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1416 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1418 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1420 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1422 N LINCOLN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1407 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1409 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1411 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1413 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1415 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1417 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1420 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1421 N DELLA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1419 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1511-1516 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1531-1536 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1551-1556 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1571-1576 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1561-1566 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1541-1546 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1521-1526 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1501 N FRANKLIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
307 E PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1508 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10353 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10377 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14061 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10487 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
10525 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 E ILLINOIS		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1600 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1600 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1608 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1618 1/2 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1620 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1622 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1624 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1626 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1628 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1630 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1632 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1636 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1638 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1640 N MAIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11328 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11237 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11438 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12871 DOTY LANE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11515 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11567 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11691 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11837 OLD LAKE RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11381 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11363 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11299 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11256 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
R R 4		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
11218 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11205 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11092 OLD LAKE BENTON RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
300 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13033 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12989 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
223 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12945 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12903 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12917 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12863 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
200 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11228 ST HWY 37N		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11288 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11330 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11354 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11378 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11394 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11412 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11426 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11446 STATE HIGHWAY 37 N		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11468 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11506 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11534 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11590 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11692 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11764 N STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11816 STATE HIGHWAY 37N		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11942 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11978 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11523 ST HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
11449 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11385 STATE HIGHWAY 37		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12621 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
R R #1 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12507 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12309 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10620 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10692 N DUQUOIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10774 N DUQUOIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10871 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10803 N DUQUOIN RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10943 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11025 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11038 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11191 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11313 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11299 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11880 BLUEBELL ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12022 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11457 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12199 LICATA ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11371 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11552 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12114 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11681 1/2 SKYLANE DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11810 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10291 SUGAR CREEK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11611 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11594 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11428 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11416 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11245 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
11344 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11260 PETROFF RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11681 SKYLANE DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11172 MINE 24 ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11334 MINE 24 ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11484 MINE 24 RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11210 LICATA ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11264 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11312 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11700 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11764 LICATA ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11488 SUGAR CREEK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11834 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11474 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11334 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11382 PETROFF ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11238 SUGAR CREEK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11210 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11078 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10163 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10107 SUGAR CREEK ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11456 LICATA RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
874 MALKOVICH DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11471 SUGAR CREEK RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10322 MINE 24 ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10442 MINE 24 RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10270 MINE 24 RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
701 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
707 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
709 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
711 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
717 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
719 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
721 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
723 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
725 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
727 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
729 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
731 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
406 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
730 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
726 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
722 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
720 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
718 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
716 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
714 OLD ORCHARD DR		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
712 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
710 OLD ORCHARD DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
606 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
610 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
612 W CARLTON		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
900 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
810 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
902 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1400 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1402 N DUQUOIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1405 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1404 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
1406 N DUQUOIN		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12506 PETROFF RD		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10484 IOWA ST		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
10467 IOWA STREET		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
10417 N MAIN ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
12507 STERLING		N	Y	2023	Unknown	Construction Records		P	P	NL	N	N/R	N			N	
10377 1/2 N MAIN		N	N	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
12495 STERLING ST		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
12475 STERLING ST		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
12445 STERLING		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
12415 STERLING ST		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10359 IOWA STREET		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10328 IOWA		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10313 IOWA STREET		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10310 IOWA		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
12460 CRESTON ST		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
12424 CRESTON		N	Y	2025	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10289 IOWA STREET		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10258 IOWA STREET		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10240 IOWA ST		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10224 IOWA ST		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10225 IOWA		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
10257 IOWA		N	Y	2023	Unknown	Construction Records		P	C	NL	N	N/R	N			N	
211 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
301 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
309 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
311 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
315 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
402 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
404 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
304 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
306 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
308 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
210 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
208 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
207 W PARK ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
206 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
201 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
202 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
108 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
111 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
109 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
107 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
108 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
113 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
114 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
118 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
117 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
201 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
203 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
204 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
207 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
210 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
211 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
304 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
305 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
508 W PARRISH		N	Y	2023	Unknown	Construction Records		P	U	NL	N	N/R	N			N	
212 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
302 W PARK		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13415 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13476 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13522 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11034 BUNNY HOP RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11021 BUNNY HOP ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
10816 BUNNY HOP RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13590 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11059 BUNNY HOP RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13595 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
401 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
14095 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
105 VIRGINIA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
112 VIRGINIA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
113 VIRGINIA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
104 VIRGINIA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
106 VIRGINIA ST		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
110 VIRGINIA		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
405 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
409 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13231 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13442 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13404 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13553 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13881 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11403 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
11619 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11681 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
13960 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13916 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13805 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13884 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13826 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13772 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13740 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13698 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13660 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13612 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13607 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13677 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13645 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13749 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13789 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13825 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13975 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13865 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13907 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
13937 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14000 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14011 LEISURE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11958 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11966 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11840 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11766 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11733 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11680 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11620 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
11554 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11452 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11276 VAN HORN ROAD		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11058 MOSES DRIVE		N	N	Unknown	Unknown	V		UNL	U	NL	N	N/R	N			N	
11060 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11029 OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10963 W OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10947 W OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10940 W OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10970 W OLD HICKORY CT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11027 W OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10997 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10981 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10963 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11184 MOSES MANOR DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10934 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10950 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10978 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10994 E OLD HICKORY CT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14702 E OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11040 OLD HICKORY COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11086 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11102 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11118 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11136 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14817 MOSES COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14682 WHITE BIRCH COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14808 MOSES COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/P igtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
14647 WHITE BIRCH COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14856 WHITE BIRCH COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14534 WHITE BIRCH COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11213 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14614 RED CEDAR COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14672 RED CEDAR COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11093 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11059 MOSES DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14796 MEADOW VIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14783 MEADOWVIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11021 MOSES MANOR DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10833 CLUBVIEW COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10919 MOSES MANOR DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10844 MOSES MANOR DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10829 CLUBVIEW COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10851 CLUB VIEW COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10885 CLUBVIEW COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10825 LAKE VIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10830 LAKE VIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10854 LAKEVIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10741 MOSES MANOR DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14753 WHITE BIRCH COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11250 MOSES MANOR DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14839 WHITE BIRCH COURT		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15316 LAKE POINT DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15332 LAKE POINT DR		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15410 LAKE POINT DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15518 LAKE POINT DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15480 WOOD DUCK LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15389 COUNTRY AIRE DR		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	

Service Address	LC Sample #	High-Risk?	Newly ID'd?	PWS Install Yr	Cust Install Yr	Source	Gooseneck/Pigtail	PWS Material	Cust Material	Classification	Galv Downstream Lead?	Cust Notif. Date	Prev Replaced?	Replacement Date	Replacement Material	Cust Refused?	Waiver/IDPH Date
15699 COUNTRY AIRE DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15560 LAKE POINT DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15579 LAKE POINT DR		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
15526 LAKE POINT DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11211 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11139 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11263 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11331 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11417 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11477 SAM PYLE BRIDGE RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14477 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11303 ENGLISH ROSE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11073 RIDGE VIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14312 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14313 BOWLING ALLEY ROAD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11163 ENGLISH ROSE LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10973 RIDGEVIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10985 RIDGEVIEW LANE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
14217 BOWLING ALLEY RD		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11045 PRESTWICK DR		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10903 PRESTWICK DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10939 PRESTWICK DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10950 PRESTWICK DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
11052 PRESTWICK DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10973 PRESTWICK DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
10973 1/2 PRESTWICK DRIVE		N	N	Unknown	Unknown	V		C	U	NL	N	N/R	N			N	
12477 CRESTON ST		N	Y	2026	2026	Construction Records		P	F	NL	N	N/R	N			N	